



QUALITY & SIMPLICITY

The Verano series is available in three popular lengths and features an exceptionally high CRI and neutral light temperature, bringing the brightness of natural daylight to your desktop.

Verano delivers 26–32 lumens per watt depending on the fixture length and is available in a variety of stand-alone or daisy chain configurations. The easy to adjust mounting system makes it possible to quickly rotate the light to illuminate areas and reduce glare as needed.

Verano comes with a 5 year warranty and can be relied upon to provide years of dependable, efficient lighting.



Available in silver or charcoal.




Quick install magnetic mount, with +/- 30° rotation.

VERANO™ LED UNDER-CABINET LIGHT

Verano LED Under-Cabinet Light


Specifications

- Bright white light output - 3300 K, 97 CRI
- Easy to install rotation mount kit (+/- 30°)
- Expandable design, link up to 108" of nominal fixture length
- Push button on/off control
- Individual daisy chain control
- UL listed, cUL listed
- 50,000+ hour life LEDs (L70 rating)
- 5 year warranty
- Available in silver or charcoal
- 48 W transformer included:
 - 12 V, 4 A, Class 2 transformer: 4.625" × 4.5" × 1.5"
 - Two prong plug on 5 foot cord connects to 54" cord with barrel connector plug to fixture




Dimensions


Lengths



Height & width Including rotating mount



Rotation




Daisy chain configuration examples

Support up to 108" of nominal fixture length

48" Parent or Child/Jumper	36" Parent or Child/Jumper	24" Parent or Child/Jumper	Maximum Fixtures Per Daisy Chain
2			2
1	1		2
1		2	3
	3		3
	2	1	3
	1	3	4
		4	4
	1	3	4
	1	2	3

Luminaire



Configuration	Color	Fixture Length	Model #	Quick Ship
Daisy Chain Parent	Silver	24"	VER-24-P-S	●
		36"	VER-36-P-S	●
		48"	VER-48-P-S	●
Charcoal		24"	VER-24-P-C	
		36"	VER-36-P-C	
		48"	VER-48-P-C	
Configuration		Fixture Length	Model #	
Daisy Chain Child/Jumper with 24" cord	Silver	24"	VER-24-J-24-S	
		36"	VER-36-J-24-S	
		48"	VER-48-J-24-S	
Charcoal		24"	VER-24-J-24-C	
		36"	VER-36-J-24-C	
		48"	VER-48-J-24-C	

VERANO™ LED UNDER-CABINET LIGHT


Specifications

Verano, 24" Parent & Child

Foot candle power (@ 18"): **109 fc**
 Light output (lumens): **325 lm**
 Power consumption (wattage): **12.3 W**
 Lumens per watt: **26 lm/W**
 Photometric performance: **See chart**
 Light color temperature (CCT): **3300 K**
 Color Rendering Index (CRI): **97 CRI**
 Fixture dimensions: **W: 19.25" × H: 1.125" × D: 1.0"**
 Recommended installation: **24" cabinets**


Photometrics

Source at 18"




Verano 36" Parent & Child

Foot candle power (@ 18"): **148 fc**
 Light output (lumens): **513 lm**
 Power consumption (wattage): **15.6 W**
 Lumens per watt: **32 lm/W**
 Photometric performance: **See chart**
 Light color temperature (CCT): **3300 K**
 Color Rendering Index (CRI): **97 CRI**
 Fixture dimensions: **W: 27.375" × H: 1.125" × D: 1.0"**
 Recommended installation: **36" cabinets**






Verano 48" Parent & Child

Foot candle power (@ 18"): **155 fc**
 Light output (lumens): **677 lm**
 Power consumption (wattage): **22.3 W**
 Lumens per watt: **30 lm/W**
 Photometric performance: **See chart**
 Light color temperature (CCT): **3300 K**
 Color Rendering Index (CRI): **97 CRI**
 Fixture dimensions: **W: 35.375" × H: 1.125" × D: 1.0"**
 Recommended installation: **48" cabinets**



VERANO™ LED UNDER-CABINET LIGHT

PRODUCT COMPARISON: UNDER-CABINET TASK LIGHTING

	Ciglio 			Verano 			Dazz—SL 			
FIXTURE/MODEL SIZE	20"	27"	35"	24"	36"	48"	24"	36"	48"	60"
LIGHT OUTPUT										
Foot Candle Power (@ 18")	100 fc	132 fc	136 fc	109 fc	148 fc	155 fc	per bulb	per bulb	per bulb	per bulb
Peak Lumen Output	652 lm	1032 lm	1431 lm	325 lm	513 lm	677 lm	~540 lm	~1256 lm	~1953 lm	~2697 lm
Color Temperature	3500 K	3500 K	3500 K	3300 K	3300 K	3300 K	4200 K	4100 K	4100 K	4100 K
CRI	83	83	86	97	97	97	85	85	85	85
Dimming	●	●	●							
ENERGY EFFICIENCY										
System Power Consumption	9.5 W	14 W	20.9 W	12.3 W	15.6 W	22.3 W	12 W	16.2 W	21 W	28 W
Lumens per Watt	68 lm/W	73 lm/W	68 lm/W	26 lm/W	32 lm/W	30 lm/W	45 lm/W	89 lm/W	93 lm/W	96 lm/W
PIR Occupancy Sensor	●	●	●							
L70 Estimated Life	90,000+ hr.	90,000+ hr.	90,000+ hr.	50,000+ hr.	50,000+ hr.	50,000+ hr.	50,000+ hr.	50,000+ hr.	50,000+ hr.	50,000+ hr.
DAISY CHAIN SYSTEM OPTIONS										
Max # of Same Size Fixtures in Daisy Chain	4	3	2	4	3	2	5	3	2	2
Jumper Cable Options	5	5	5	2	2	2	1	1	1	1
Supports Mixed Size Daisy Chain Configurations	●	●	●	●	●	●	●	●	●	●
FIXTURE HOUSING										
Control/ Switch Type	Touch strip	Touch strip	Touch strip	Push button	Push button	Push button	Rocker switch	Rocker switch	Rocker switch	Rocker switch
Number of LED's In Fixture	42	63	84	8	12	16				
Metal Installation Mounts	Magnetic	Magnetic	Magnetic	Magnetic	Magnetic	Magnetic	Slide bars	Slide bars	Slide bars	Slide bars
Wood Installation Mounts	Screw	Screw	Screw	Screw	Screw	Screw	Screw (not included)	Screw (not included)	Screw (not included)	Screw (not included)
Rotation Mount				●	●	●				
Recommended Cabinet Installation Size	24"	36"	48"	24"	36"	48"	24"	36"	48"	60"
Colors	Sterling Silver	Sterling Silver	Sterling Silver	Sterling Silver, Carbon Black	Sterling Silver, Carbon Black	Sterling Silver, Carbon Black	Black	Black	Black	Black
WARRANTY										
Fixture	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Transformer or Ballast	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year