


# November 2008 List Prices

Adjustable Height  
Workcenters  
Seated Position


Sierra  
Crank




# Adjustable Height Workcenters — Sierra Crank

## Crank, Seated Position


### SECTION 1.3

| Rectangular  | Nominal Dimensions | W  | D       | Model #                  | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup> | Laminate | Thermofoil <sup>2</sup> | Base only |       |
|--|--------------------|----|---------|--------------------------|---------------------------|--------------------------|-------------------|----------|-------------------------|-----------|-------|
|  |                    |    |         |                          |                           |                          |                   | Weight   | Price                   | Price     | Price |
|  <ul style="list-style-type: none"> <li>- Adjusts from 22" - 34" at 6.6 turns/inch</li> <li>- Crank handle can be installed on right or left</li> <li>- Two leg table</li> <li>- Load capacity is 150 lbs.</li> </ul> | 36                 | 24 | SCF3624 | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | 65                | 1,365    | 1,502                   | 1,052     |       |
|  | 42                 | 24 | SCF4224 | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | 70                | 1,395    | 1,535                   | 1,076     |       |
|  | 48                 | 24 | SCF4824 | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | 76                | 1,397    | 1,537                   | 1,076     |       |
|  | 54                 | 24 | SCF5424 | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | 82                | 1,497    | 1,647                   | 1,139     |       |
|  | 60                 | 24 | SCF6024 | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | 88                | 1,562    | 1,718                   | 1,139     |       |
|  | 66                 | 24 | SCF6624 | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | 94                | 1,662    | 1,828                   | 1,239     |       |
|  | 72                 | 24 | SCF7224 | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | 99                | 1,729    | 1,902                   | 1,298     |       |
|  | 36                 | 30 | SCF3630 | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | 73                | 1,397    | 1,537                   | 1,052     |       |
|  | 42                 | 30 | SCF4230 | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | 79                | 1,424    | 1,566                   | 1,076     |       |
|  | 48                 | 30 | SCF4830 | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | 86                | 1,427    | 1,570                   | 1,076     |       |
|  | 54                 | 30 | SCF5430 | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | 91                | 1,527    | 1,680                   | 1,139     |       |
|  | 60                 | 30 | SCF6030 | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | 99                | 1,616    | 1,778                   | 1,139     |       |
|  | 66                 | 30 | SCF6630 | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | 106               | 1,716    | 1,888                   | 1,239     |       |
|  | 72                 | 30 | SCF7230 | <input type="checkbox"/> | <input type="checkbox"/>  | <input type="checkbox"/> | 114               | 1,782    | 1,960                   | 1,298     |       |

### Rectangular - Bi-level

|  |    |    |          |                          |                          |                          |       |       |       |     |
|--|----|----|----------|--------------------------|--------------------------|--------------------------|-------|-------|-------|-----|
|  <ul style="list-style-type: none"> <li>- Adjusts from 22" - 34" at 6.6 turns/inch</li> <li>- Crank handle installed on top-right</li> <li>- Two leg table</li> <li>- Load capacity is 150 lbs.</li> </ul> | 30 | 36 | SCT3035B | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 130   | 1,895 | 2,085 | n/a |
|  | 36 | 36 | SCT3635B | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 130   | 1,895 | 2,085 | n/a |
|  | 48 | 36 | SCT4835B | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2,000 | 2,200 | n/a   | n/a |

### Rectangular Concave Front

|  |    |    |          |                          |                          |                          |     |       |       |     |
|--|----|----|----------|--------------------------|--------------------------|--------------------------|-----|-------|-------|-----|
|  <ul style="list-style-type: none"> <li>- Adjusts from 22" - 34" at 6.6 turns/inch</li> <li>- Crank handle can be installed on right or left</li> <li>- Two leg table</li> <li>- Load capacity is 150 lbs.</li> </ul> | 48 | 30 | SCF4830C | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 82  | 1,089 | 1,198 | 728 |
|  | 60 | 30 | SCF6030C | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 93  | 1,298 | 1,427 | 805 |
|  | 72 | 30 | SCF7230C | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 106 | 1,396 | 1,536 | 897 |

#### To order specify:

- 1) Model (eg SCF727224)
- 2) Metal Finish (eg S)1
- 3) Laminate (eg AG501)1
- 4) Edge Treatment (eg 07)1 (eg, SCF727224-S-AG501-07)

1 For available metal finishes, laminates and edge treatments, please refer to "Color and Trim Options" in 2007 Pricing and Specification Guide.

2 Minimum quantity 10 tables per base model number (i.e. SCF6030). If ordering a total of 10 or more units with multiple base model numbers, please consult Factory for quote.

For base-only units, only model # and metal finish is required (example: SCF727224-S).

#### Note: Dimensions provided above are nominal. Actual widths of all tables are reduced by 2" and depths by 1".

For example, a nominal 72" x 72" x 24" large corner table has an actual dimension of 70" x 70" x 23", and a 72" x 30" rectangular table has an actual dimension of 70" x 29".

Note: 24" D tables have only 14<sup>5</sup>/<sub>8</sub>" knee clearance at the crossbar, 14" above the floor; ANSI/BIFMA recommends 17" D knee space increasing to 23" D at toe height.

#### Dual surface specifications:

Front surface laminate and trim matches main worksurface.

#### Bi-level specifications:

Front surface adjusted +5<sup>7</sup>/<sub>8</sub>" to 6<sup>1</sup>/<sub>8</sub>" with ATK-50 arm; tilt adjusts +/- 15°.

**Keyboard cutout:** Front surface adjusted using fixed mount Pinnacle 2 Arm with 0" to -6" height range and -15° to +10° tilt range.

All tables have adjustable glides at front and back of each foot, providing ½" adjustment.


Worksurfaces are pre-drilled with mounting location for bases and dual surface platform (if any). A joining kit is provided for all three leg tables with a two piece top.


All tables and bases ship unassembled. Weight information is shipped weight for laminate option only.


#### Application Tips:


Mobile pedestals 20<sup>3</sup>/<sub>8</sub>" H x 14<sup>5</sup>/<sub>8</sub>" D or 20<sup>5</sup>/<sub>8</sub>" D will fit flush under 24" D and 30" D tables, respectively. To accommodate deeper pedestals contact factory for custom leg placement.


Workrite has tool bars which move with the worksurface and can accept a variety of desk accessories – see pages 67-74.

| Rectangular Curved Front  | Nominal Dimensions |     |     | Model #           | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Laminate Thermofoil <sup>2</sup> Base only |       |       |       |
|---|--------------------|-----|-----|-------------------|---------------------------|--------------------------|--------------------------|--|-------|-------|-------|
|   | W                  | D/L | D/R |                   |                           |                          |                          | Weight                                     | Price | Price | Price |
|  <ul style="list-style-type: none"> <li>- Adjusts from 22" - 34" at 6.6 turns/inch</li> <li>- Crank handle installed on deep side</li> <li>- Two leg table</li> <li>- Load capacity is 150 lbs.</li> </ul> | 30                 | 24  | 30  | <b>SCF302430V</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 50   | 1,381 | 1,519 | 1,052 |
|   | 36                 | 24  | 30  | <b>SCF362430V</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 56   | 1,397 | 1,537 | 1,052 |
|   | 42                 | 24  | 30  | <b>SCF422430V</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 59   | 1,424 | 1,566 | 1,076 |
|   | 48                 | 24  | 30  | <b>SCF482430V</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 63   | 1,427 | 1,570 | 1,076 |
|   | 60                 | 24  | 30  | <b>SCF602430V</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 80   | 1,616 | 1,778 | 1,139 |
|   | 72                 | 24  | 30  | <b>SCF722430V</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 91   | 1,782 | 1,960 | 1,298 |
|   | 30                 | 30  | 24  | <b>SCF303024V</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 50   | 1,381 | 1,519 | 1,052 |
|   | 36                 | 30  | 24  | <b>SCF363024V</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 56   | 1,397 | 1,537 | 1,052 |
|   | 42                 | 30  | 24  | <b>SCF423024V</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 59   | 1,424 | 1,566 | 1,076 |
|   | 48                 | 30  | 24  | <b>SCF483024V</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 63   | 1,427 | 1,570 | 1,076 |
|   | 60                 | 30  | 24  | <b>SCF603024V</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 80   | 1,616 | 1,778 | 1,139 |
|   | 72                 | 30  | 24  | <b>SCF723024V</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 91   | 1,782 | 1,960 | 1,298 |

| Equal Corner - 2 Legs  | W/L | W/R | D  | Model #          | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Price | Price | Price |
|--|-----|-----|----|------------------|---------------------------|--------------------------|--------------------------|--------|-------|-------|-------|
|  <ul style="list-style-type: none"> <li>- Adjusts from 22" - 34" at 6.6 turns/inch</li> <li>- Crank handle installed on top-right</li> <li>- Two leg table</li> <li>- Load capacity is 150 lbs.</li> </ul> | 42  | 42  | 24 | <b>SCT424224</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 85     | 1,616 | 1,778 | 1,121 |
|  | 45  | 45  | 24 | <b>SCT454524</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 92     | 1,625 | 1,788 | 1,129 |
|  | 48  | 48  | 24 | <b>SCT484824</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 95     | 1,647 | 1,812 | 1,129 |
|  | 48  | 48  | 30 | <b>SCT484830</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 105    | 1,648 | 1,813 | 1,129 |

| Equal Corner - 2 legs, Bi-level   | W/L | W/R | D  | Model #           | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Price | Price | Price |
|---|-----|-----|----|-------------------|---------------------------|--------------------------|--------------------------|--------|-------|-------|-------|
|  <ul style="list-style-type: none"> <li>- Adjusts from 22" - 34" at 6.6 turns/inch</li> <li>- Crank handle installed on top-right</li> <li>- Two leg table</li> <li>- Load capacity is 150 lbs.</li> </ul> | 42  | 42  | 24 | <b>SCT424224B</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 153    | 2,215 | 2,437 | n/a   |
|   | 45  | 45  | 24 | <b>SCT454524B</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 161    | 2,262 | 2,488 | n/a   |
|   | 48  | 48  | 24 | <b>SCT484824B</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 164    | 2,330 | 2,563 | n/a   |
|   | 48  | 48  | 30 | <b>SCT484830B</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 174    | 2,333 | 2,566 | n/a   |

| Equal Corner - 3 legs  | W  | D/L | D/R | Model #          | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Price | Price | Price |
|--|----|-----|-----|------------------|---------------------------|--------------------------|--------------------------|--------|-------|-------|-------|
|  <ul style="list-style-type: none"> <li>- Adjusts from 22" - 34" at 6.6 turns/inch</li> <li>- Crank handle can be installed on right or left</li> <li>- Load capacity is 150 lbs.</li> <li>- Two piece thermofoil top, two piece laminate top if width is greater than 60"</li> </ul> | 60 | 60  | 24  | <b>SCF606024</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 132    | 2,591 | 2,850 | 1,569 |
|  | 66 | 66  | 24  | <b>SCF666624</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 145    | 2,747 | 3,022 | 1,582 |
|  | 72 | 72  | 24  | <b>SCF727224</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 158    | 2,904 | 3,194 | 1,594 |
|  | 60 | 60  | 30  | <b>SCF606030</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 150    | 2,592 | 2,851 | 1,601 |
|  | 66 | 66  | 30  | <b>SCF666630</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 163    | 2,761 | 3,037 | 1,613 |
|  | 72 | 72  | 30  | <b>SCF727230</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 176    | 2,929 | 3,222 | 1,626 |


| Equal Corner - 3 legs, Keyboard Cutout   | W  | D/L | D/R | Model #           | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Price | Price | Price |
|--|----|-----|-----|-------------------|---------------------------|--------------------------|--------------------------|--------|-------|-------|-------|
|  <ul style="list-style-type: none"> <li>- Adjusts from 22" - 34" at 6.6 turns/inch</li> <li>- Crank handle can be installed on right or left</li> <li>- Load capacity is 150 lbs.</li> <li>- Two piece thermofoil top, two piece laminate top if width is greater than 60"</li> </ul> | 60 | 60  | 24  | <b>SCF606024A</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 141    | 2,935 | 3,229 | n/a   |
|  | 66 | 66  | 24  | <b>SCF666624A</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 154    | 3,092 | 3,401 | n/a   |
|  | 72 | 72  | 24  | <b>SCF727224A</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 167    | 3,283 | 3,611 | n/a   |
|  | 60 | 60  | 30  | <b>SCF606030A</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 159    | 2,971 | 3,268 | n/a   |
|  | 66 | 66  | 30  | <b>SCF666630A</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 172    | 3,140 | 3,454 | n/a   |
|  | 72 | 72  | 30  | <b>SCF727230A</b> | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 185    | 3,287 | 3,616 | n/a   |

# Adjustable Height Workcenters — Sierra Crank

## Crank, Seated Position

### SECTION 1.3


#### Cockpit Corner



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle can be installed on right or left
- Load capacity is 150 lbs.
- Two piece thermofoil top, two piece laminate top if width is greater than 60"

| Nominal Dimensions |     |    | Model #    | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Laminate Thermofoil <sup>2</sup> Base only |       |       |       |
|--------------------|-----|----|------------|---------------------------|--------------------------|--------------------------|--|-------|-------|-------|
| W/L                | W/R | D  |            |                           |                          |                          | Weight                                     | Price | Price | Price |
| 60                 | 60  | 30 | SCF606030W | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 142  | 2,761 | 3,037 | 1,613 |
| 72                 | 72  | 30 | SCF727230W | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 166  | 2,929 | 3,222 | 1,626 |
| 84                 | 84  | 30 | SCF848430W | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 188  | 3,212 | 3,533 | 1,651 |


#### Offset Corner Left - 2 legs



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle installed on left
- Two leg table
- Load capacity is 150 lbs.
- Consult factory for base and worksurface dimensions

|    |    |    |           |                          |                          |                          |     |       |       |     |
|----|----|----|-----------|--------------------------|--------------------------|--------------------------|-----|-------|-------|-----|
| 60 | 36 | 24 | SCF603624 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 89  | 1,774 | 1,951 | n/a |
| 60 | 42 | 24 | SCF604224 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 97  | 1,838 | 2,022 | n/a |
| 72 | 36 | 24 | SCF723624 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 105 | 1,830 | 2,013 | n/a |
| 72 | 42 | 24 | SCF724224 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 113 | 1,885 | 2,074 | n/a |
| 60 | 42 | 30 | SCF604230 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 99  | 1,888 | 2,077 | n/a |
| 72 | 42 | 30 | SCF724230 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 117 | 1,936 | 2,130 | n/a |

#### Offset Corner Right - 2 legs



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle installed on right
- Two leg table
- Load capacity is 150 lbs.
- Consult factory for base and worksurface dimensions

|    |    |    |           |                          |                          |                          |     |       |       |     |
|----|----|----|-----------|--------------------------|--------------------------|--------------------------|-----|-------|-------|-----|
| 36 | 60 | 24 | SCF366024 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 89  | 1,774 | 1,951 | n/a |
| 42 | 60 | 24 | SCF426024 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 97  | 1,830 | 2,013 | n/a |
| 36 | 72 | 24 | SCF367224 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 105 | 1,838 | 2,022 | n/a |
| 42 | 72 | 24 | SCF427224 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 113 | 1,885 | 2,074 | n/a |
| 42 | 60 | 30 | SCF426030 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 99  | 1,888 | 2,077 | n/a |
| 42 | 72 | 30 | SCF427230 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 117 | 1,936 | 2,130 | n/a |

#### To order specify:

- 1) Model (eg SCF727224)
- 2) Metal Finish (eg S)1
- 3) Laminate (eg AG501)1
- 4) Edge Treatment (eg 07)1 (eg, SCF727224-S-AG501-07)

1 For available metal finishes, laminates and edge treatments, please refer to "Color and Trim Options" in 2007 Pricing and Specification Guide.

2 Minimum quantity 10 tables per base model number (i.e. SCF6030). If ordering a total of 10 or more units with multiple base model numbers, please consult Factory for quote.

For base-only units, only model # and metal finish is required (example: SCF727224-S).

**Note: Dimensions provided above are nominal. Actual widths of all tables are reduced by 2" and depths by 1".** For example, a nominal 72" x 72" x 24" large corner table has an actual dimension of 70" x 70" x 23", and a 72" x 30" rectangular table has an actual dimension of 70" x 29".

**Note:** 24" D tables have only 14<sup>5</sup>/<sub>8</sub>" knee clearance at the crossbar, 14" above the floor; ANSI/BIFMA recommends 17" D knee space increasing to 23" D at toe height.

#### Dual surface specifications:

Front surface laminate and trim matches main worksurface.

#### Bi-level specifications:

Front surface adjusted +5<sup>7</sup>/<sub>8</sub>" to 6<sup>1</sup>/<sub>8</sub>" with ATK-50 arm; tilt adjusts +/- 15°.

**Keyboard cutout:** Front surface adjusted using fixed mount Pinnacle 2 Arm with 0" to -6" height range and -15° to +10° tilt range.

All tables have adjustable glides at front and back of each foot, providing 1/2" adjustment.

Worksurfaces are pre-drilled with mounting location for bases and dual surface platform (if any). A joining kit is provided for all three leg tables with a two piece top.


All tables and bases ship unassembled. Weight information is shipped weight for laminate option only.

#### Application Tips:

Mobile pedestals 20<sup>3</sup>/<sub>8</sub>" H x 14<sup>5</sup>/<sub>8</sub>" D or 20<sup>5</sup>/<sub>8</sub>" D will fit flush under 24" D and 30" D tables, respectively. To accommodate deeper pedestals contact factory for custom leg placement.

Workrite has tool bars which move with the worksurface and can accept a variety of desk accessories – see pages 67-74.


**Offset Corner Left - 2 legs,  
Keyboard Cutout**



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle installed on left
- Two leg table
- Load capacity is 150 lbs.
- Consult factory for base and worksurface dimensions

| Nominal Dimensions |     |    | Model #    | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Laminate | Thermofoil <sup>2</sup> | Base only |
|--------------------|-----|----|------------|---------------------------|--------------------------|--------------------------|--------|----------|-------------------------|-----------|
| W/L                | W/R | D  |            |                           |                          |                          |        | Price    | Price                   | Price     |
| 72                 | 42  | 24 | SCF724224A | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 122    | 2,092    | 2,301                   | n/a       |
| 72                 | 42  | 30 | SCF724230A | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 126    | 2,229    | 2,452                   | n/a       |


**Offset Corner Right - 2 legs,  
Keyboard Cutout**



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle installed on right
- Two leg table
- Load capacity is 150 lbs.
- Consult factory for base and worksurface dimensions

|    |    |    |            |                          |                          |                          |     |       |       |     |
|----|----|----|------------|--------------------------|--------------------------|--------------------------|-----|-------|-------|-----|
| 42 | 72 | 24 | SCF427224A | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 119 | 2,092 | 2,301 | n/a |
| 42 | 72 | 30 | SCF427230A | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 123 | 2,229 | 2,452 | n/a |


**Offset Corner Left**



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle installed on left
- Three leg table
- Load capacity is 150 lbs.
- One piece laminate top, two piece thermofoil top if right width greater than 48"

|    |    |    |           |                          |                          |                          |     |       |       |       |
|----|----|----|-----------|--------------------------|--------------------------|--------------------------|-----|-------|-------|-------|
| 60 | 48 | 24 | SCF604824 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 112 | 2,238 | 2,462 | 1,675 |
| 72 | 48 | 24 | SCF724824 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 128 | 2,285 | 2,514 | 1,691 |
| 72 | 60 | 24 | SCF726024 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 144 | 2,490 | 2,739 | 1,956 |
| 84 | 48 | 24 | SCF844824 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 144 | 2,606 | 2,867 | 1,971 |
| 60 | 48 | 30 | SCF604830 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 122 | 2,376 | 2,614 | 1,675 |
| 72 | 48 | 30 | SCF724830 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 141 | 2,423 | 2,665 | 1,691 |
| 72 | 60 | 30 | SCF726030 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 160 | 2,719 | 2,991 | 1,956 |
| 84 | 48 | 30 | SCF844830 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 160 | 2,834 | 3,117 | 1,971 |

**Offset Corner Right**



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle installed on right
- Three leg table
- Load capacity is 150 lbs.
- One piece laminate top, two piece thermofoil top if left width greater than 48"

|    |    |    |           |                          |                          |                          |     |       |       |       |
|----|----|----|-----------|--------------------------|--------------------------|--------------------------|-----|-------|-------|-------|
| 48 | 60 | 24 | SCF486024 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 112 | 2,238 | 2,462 | 1,675 |
| 48 | 72 | 24 | SCF487224 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 128 | 2,285 | 2,514 | 1,691 |
| 60 | 72 | 24 | SCF607224 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 144 | 2,606 | 2,867 | 1,971 |
| 48 | 84 | 24 | SCF488424 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 144 | 2,490 | 2,739 | 1,956 |
| 48 | 60 | 30 | SCF486030 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 122 | 2,376 | 2,614 | 1,675 |
| 48 | 72 | 30 | SCF487230 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 141 | 2,423 | 2,665 | 1,691 |
| 60 | 72 | 30 | SCF607230 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 160 | 2,834 | 3,117 | 1,971 |
| 48 | 84 | 30 | SCF488430 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 160 | 2,719 | 2,991 | 1,956 |


Consult opposite page for further specifications.

# Adjustable Height Workcenters — Sierra Crank

## Crank, Seated Position

SECTION 1.3


### Offset Corner Left, Keyboard Cutout



- Adjusts from 22"- 34" at 6.6 turns/inch
- Crank handle installed on left
- Three leg table
- Load capacity is 150 lbs.
- One piece laminate top, two piece thermofoil top if right width greater than 48"

| Nominal Dimensions |     |    |       | Model #    | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Laminate Thermofoil <sup>2</sup> Base only |       |     |
|--------------------|-----|----|-------|------------|---------------------------|--------------------------|--------------------------|--------|--|-------|-----|
| W/L                | W/R | D  | Price |            |                           |                          |                          |        | Price                                      | Price |     |
| 72                 | 48  | 24 |       | SCF724824A | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 137    | 2,627                                      | 2,890 | n/a |
| 72                 | 60  | 24 |       | SCF726024A | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 153    | 2,734                                      | 3,007 | n/a |
| 72                 | 48  | 30 |       | SCF724830A | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 150    | 2,627                                      | 2,890 | n/a |
| 72                 | 60  | 30 |       | SCF726030A | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 169    | 2,734                                      | 3,007 | n/a |


### Offset Corner Right, Keyboard Cutout



- Adjusts from 22"- 34" at 6.6 turns/inch
- Crank handle can be installed on right or left
- Three leg table
- Load capacity is 150 lbs.
- One piece laminate top, two piece thermofoil top if left width greater than 48"

|    |    |    |  |            |                          |                          |                          |     |       |       |     |
|----|----|----|--|------------|--------------------------|--------------------------|--------------------------|-----|-------|-------|-----|
| 48 | 72 | 24 |  | SCF487224A | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 137 | 2,764 | 3,040 | n/a |
| 60 | 72 | 24 |  | SCF607224A | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 153 | 2,964 | 3,260 | n/a |
| 48 | 72 | 30 |  | SCF487230A | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 150 | 2,764 | 3,040 | n/a |
| 60 | 72 | 30 |  | SCF607230A | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 169 | 2,964 | 3,260 | n/a |

### Peninsula Left



- Adjusts from 22"- 34" at 6.6 turns/inch
- Crank handle can be installed on right or left
- Two leg table
- Load capacity is 150 lbs.

| W  | D  |  |           |                          |                          |                          |     |       |       |       |
|----|----|--|-----------|--------------------------|--------------------------|--------------------------|-----|-------|-------|-------|
| 60 | 30 |  | SCF6030NL | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 93  | 1,616 | 1,778 | 1,139 |
| 72 | 30 |  | SCF7230NL | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 108 | 1,782 | 1,960 | 1,298 |
| 84 | 30 |  | SCF8430NL | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 121 | 2,003 | 2,203 | 1,361 |

#### To order specify:

- 1) Model (eg SCF727224)
- 2) Metal Finish (eg S)1
- 3) Laminate (eg AG501)1
- 4) Edge Treatment (eg 07)1 (eg, SCF727224-S-AG501-07)

1 For available metal finishes, laminates and edge treatments, please refer to "Color and Trim Options" in 2007 Pricing and Specification Guide.

2 Minimum quantity 10 tables per base model number (i.e. SCF6030). If ordering a total of 10 or more units with multiple base model numbers, please consult Factory for quote.

For base-only units, only model # and metal finish is required (example: SCF727224-S).

#### Note: Dimensions provided above are nominal. Actual widths of all tables are reduced by 2" and depths by 1".

For example, a nominal 72" x 72" x 24" large corner table has an actual dimension of 70" x 70" x 23", and a 72" x 30" rectangular table has an actual dimension of 70" x 29".

Note: 24" D tables have only 14<sup>5</sup>/<sub>8</sub>" knee clearance at the crossbar, 14" above the floor; ANSI/BIFMA recommends 17" D knee space increasing to 23" D at toe height.

#### Dual surface specifications:

Front surface laminate and trim matches main worksurface.

#### Bi-level specifications:

Front surface adjusted +5<sup>7</sup>/<sub>8</sub>" to 6<sup>1</sup>/<sub>8</sub>" with ATK-50 arm; tilt adjusts +/- 15°.

Keyboard cutout: Front surface adjusted using fixed mount Pinnacle 2 Arm with 0" to -6" height range and -15° to +10° tilt range.

All tables have adjustable glides at front and back of each foot, providing 1/2" adjustment.


Worksurfaces are pre-drilled with mounting location for bases and dual surface platform (if any). A joining kit is provided for all three leg tables with a two piece top.


All tables and bases ship unassembled. Weight information is shipped weight for laminate option only.


#### Application Tips:


Mobile pedestals 20<sup>3</sup>/<sub>8</sub>" H x 14<sup>5</sup>/<sub>8</sub>" D or 20<sup>5</sup>/<sub>8</sub>" D will fit flush under 24" D and 30" D tables, respectively. To accommodate deeper pedestals contact factory for custom leg placement.


Workrite has tool bars which move with the worksurface and can accept a variety of desk accessories – see pages 67-74.

| Peninsula Right  | Nominal Dimensions |    | Model #   | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Laminate Thermofoil <sup>2</sup> Base only |       |       |       |
|--|--------------------|----|-----------|---------------------------|--------------------------|--------------------------|--|-------|-------|-------|
|  | W                  | D  |           |                           |                          |                          | Weight                                     | Price | Price | Price |
|  <ul style="list-style-type: none"> <li>- Adjusts from 22" - 34" at 6.6 turns/inch</li> <li>- Crank handle can be installed on right or left</li> <li>- Two leg table</li> <li>- Load capacity is 150 lbs.</li> </ul> | 60                 | 30 | SCF6030NR | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 93   | 1,616 | 1,778 | 1,139 |
|  | 72                 | 30 | SCF7230NR | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 108  | 1,782 | 1,960 | 1,298 |
|  | 84                 | 30 | SCF8430NR | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 121  | 2,003 | 2,203 | 1,361 |

| P Peninsula - Left   | W  | D/L | D/R | Model #     | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Price | Price | Price |
|--|----|-----|-----|-------------|---------------------------|--------------------------|--------------------------|--------|-------|-------|-------|
|  <ul style="list-style-type: none"> <li>- Adjusts from 22" - 34" at 6.6 turns/inch</li> <li>- Crank handle can be installed on right or left</li> <li>- Two leg table</li> <li>- Load capacity is 150 lbs.</li> </ul> | 60 | 37  | 30  | SCF603630PL | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 95     | 1,697 | 1,867 | 1,149 |
|  | 72 | 37  | 30  | SCF723630PL | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 123    | 1,872 | 2,059 | 1,308 |
|  | 84 | 37  | 30  | SCF843630PL | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 136    | 2,092 | 2,301 | 1,361 |

| P Peninsula - Right   | W  | D/L | D/R | Model #     | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Price | Price | Price |
|---|----|-----|-----|-------------|---------------------------|--------------------------|--------------------------|--------|-------|-------|-------|
|  <ul style="list-style-type: none"> <li>- Adjusts from 22" - 34" at 6.6 turns/inch</li> <li>- Crank handle can be installed on right or left</li> <li>- Two leg table</li> <li>- Load capacity is 150 lbs.</li> </ul> | 60 | 30  | 37  | SCF603036PR | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 95     | 1,697 | 1,867 | 1,149 |
|   | 72 | 30  | 37  | SCF723036PR | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 123    | 1,875 | 2,063 | 1,308 |
|   | 84 | 30  | 37  | SCF843036PR | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 136    | 2,092 | 2,301 | 1,361 |

| Peninsula Workcenter Left, Dual Depth   | W/L | D/L | W/R | D/R | Model #       | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Price | Price | Price |
|---|-----|-----|-----|-----|---------------|---------------------------|--------------------------|--------------------------|--------|-------|-------|-------|
|  <ul style="list-style-type: none"> <li>- Adjusts from 22" - 34" at 6.6 turns/inch</li> <li>- Crank handle can be installed on right or left</li> <li>- Three leg table</li> <li>- Load capacity is 150 lbs.</li> <li>- Two piece laminate or thermofoil top if right width greater than 60" or 48", respectively</li> </ul> | 72  | 30  | 48  | 24  | SCF72304824YL | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 136    | 2,377 | 2,615 | 1,691 |
|   | 72  | 30  | 60  | 24  | SCF72306024YL | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 152    | 2,589 | 2,848 | 1,714 |
|   | 72  | 30  | 72  | 24  | SCF72307224YL | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 167    | 3,019 | 3,321 | 1,737 |

| Peninsula Workcenter Right, Dual Depth   | W/L | D/L | W/R | D/R | Model #       | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Price | Price | Price |
|--|-----|-----|-----|-----|---------------|---------------------------|--------------------------|--------------------------|--------|-------|-------|-------|
|  <ul style="list-style-type: none"> <li>- Adjusts from 22" - 34" at 6.6 turns/inch</li> <li>- Crank handle can be installed on right or left</li> <li>- Three leg table</li> <li>- Load capacity is 150 lbs.</li> <li>- Two piece laminate or thermofoil top if left width greater than 60" or 48", respectively</li> </ul> | 48  | 24  | 72  | 30  | SCF48247230YR | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 136    | 2,377 | 2,615 | 1,691 |
|  | 60  | 24  | 72  | 30  | SCF60247230YR | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 152    | 2,589 | 2,848 | 1,714 |
|  | 72  | 24  | 72  | 30  | SCF72247230YR | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 167    | 3,019 | 3,321 | 1,737 |


Consult opposite page for further specifications.

# Adjustable Height Workcenters — Sierra Crank

## Crank, Seated Position

### SECTION 1.3


#### Peninsula Workcenter Left



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle can be installed on right or left
- Three leg table
- Load capacity is 150 lbs.
- Two piece laminate or thermofoil top if right width greater than 60" or 48", respectively

| Nominal Dimensions |     |     |     | Model #       | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Laminate Thermofoil <sup>2</sup> Base only |       |       |
|--------------------|-----|-----|-----|---------------|---------------------------|--------------------------|--------------------------|--------|--|-------|-------|
| W/L                | D/L | W/R | D/R |               |                           |                          |                          |        | Price                                      | Price | Price |
| 72                 | 30  | 48  | 30  | SCF72304830YL | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 149    | 2,519                                      | 2,771 | 1,691 |
| 72                 | 30  | 60  | 30  | SCF72306030YL | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 169    | 2,828                                      | 3,111 | 1,714 |
| 72                 | 30  | 72  | 30  | SCF72307230YL | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 185    | 3,047                                      | 3,352 | 1,737 |


#### Peninsula Workcenter Right



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle can be installed on right or left
- Three leg table
- Load capacity is 150 lbs.
- Two piece laminate or thermofoil top if left width greater than 60" or 48", respectively

|    |    |    |    |               |                          |                          |                          |     |       |       |       |
|----|----|----|----|---------------|--------------------------|--------------------------|--------------------------|-----|-------|-------|-------|
| 48 | 30 | 72 | 30 | SCF48307230YR | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 149 | 2,519 | 2,771 | 1,691 |
| 60 | 30 | 72 | 30 | SCF60307230YR | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 169 | 2,828 | 3,111 | 1,714 |
| 72 | 30 | 72 | 30 | SCF72307230YR | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 185 | 3,047 | 3,352 | 1,737 |

#### P Peninsula Workcenter Left, Dual Depth



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle can be installed on right or left
- Three leg table
- Load capacity is 150 lbs.
- Two piece thermofoil top, two piece laminate top if right width greater than 48"

|    |    |    |    |              |                          |                          |                          |     |       |       |       |
|----|----|----|----|--------------|--------------------------|--------------------------|--------------------------|-----|-------|-------|-------|
| 72 | 37 | 48 | 24 | SCF72364824X | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 140 | 2,433 | 2,676 | 1,691 |
| 72 | 37 | 60 | 24 | SCF72366024X | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 157 | 2,652 | 2,917 | 1,714 |
| 72 | 37 | 72 | 24 | SCF72367224X | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 172 | 3,092 | 3,401 | 1,737 |

#### To order specify:

- 1) Model (eg SCF727224)
- 2) Metal Finish (eg S)1
- 3) Laminate (eg AG501)1
- 4) Edge Treatment (eg 07)1 (eg, SCF727224-S-AG501-07)

1 For available metal finishes, laminates and edge treatments, please refer to "Color and Trim Options" in 2007 Pricing and Specification Guide.

2 Minimum quantity 10 tables per base model number (i.e. SCF6030). If ordering a total of 10 or more units with multiple base model numbers, please consult Factory for quote.

For base-only units, only model # and metal finish is required (example: SCF727224-S).

#### Note: Dimensions provided above are nominal. Actual widths of all tables are reduced by 2" and depths by 1".

For example, a nominal 72" x 72" x 24" large corner table has an actual dimension of 70" x 70" x 23", and a 72" x 30" rectangular table has an actual dimension of 70" x 29".

Note: 24" D tables have only 14<sup>5</sup>/<sub>8</sub>" knee clearance at the crossbar, 14" above the floor; ANSI/BIFMA recommends 17" D knee space increasing to 23" D at toe height.

#### Dual surface specifications:

Front surface laminate and trim matches main worksurface.

#### Bi-level specifications:

Front surface adjusted +5<sup>7</sup>/<sub>8</sub>" to 6<sup>1</sup>/<sub>8</sub>" with ATK-50 arm; tilt adjusts +/- 15°.

Keyboard cutout: Front surface adjusted using fixed mount Pinnacle 2 Arm with 0" to -6" height range and -15° to +10° tilt range.

All tables have adjustable glides at front and back of each foot, providing ½" adjustment.

Worksurfaces are pre-drilled with mounting location for bases and dual surface platform (if any). A joining kit is provided for all three leg tables with a two piece top.


All tables and bases ship unassembled. Weight information is shipped weight for laminate option only.

#### Application Tips:

Mobile pedestals 20<sup>3</sup>/<sub>8</sub>" H x 14<sup>5</sup>/<sub>8</sub>" D or 20<sup>5</sup>/<sub>8</sub>" D will fit flush under 24" D and 30" D tables, respectively. To accommodate deeper pedestals contact factory for custom leg placement.

Workrite has tool bars which move with the worksurface and can accept a variety of desk accessories – see pages 67-74.


### P Peninsula Workcenter Right, Dual Depth



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle can be installed on right or left
- Three leg table
- Load capacity is 150 lbs.
- Two piece thermofoil top, two piece laminate top if left width greater than 48"

| Nominal Dimensions |     |     |     | Model #      | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Laminate | Thermofoil <sup>2</sup> | Base only |
|--------------------|-----|-----|-----|--------------|---------------------------|--------------------------|--------------------------|--------|----------|-------------------------|-----------|
| W/L                | D/L | W/R | D/R |              |                           |                          |                          |        | Price    | Price                   | Price     |
| 48                 | 24  | 72  | 37  | SCF48247236X | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 140    | 2,433    | 2,676                   | 1,691     |
| 60                 | 24  | 72  | 37  | SCF60247236X | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 157    | 2,652    | 2,917                   | 1,714     |
| 72                 | 24  | 72  | 37  | SCF72247236X | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 172    | 3,092    | 3,401                   | 1,737     |


### P Peninsula Workcenter Left



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle can be installed on right or left
- Three leg table
- Load capacity is 150 lbs.
- Two piece thermofoil top, two piece laminate top if right width greater than 48"

| W/L | D/L | W/R | D/R | Model #      | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Laminate Price | Thermofoil <sup>2</sup> Price | Base only Price |
|-----|-----|-----|-----|--------------|---------------------------|--------------------------|--------------------------|--------|----------------|-------------------------------|-----------------|
| 72  | 37  | 48  | 30  | SCF72364830X | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 154    | 2,580          | 2,838                         | 1,691           |
| 72  | 37  | 60  | 30  | SCF72366030X | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 174    | 2,896          | 3,186                         | 1,714           |
| 72  | 37  | 72  | 30  | SCF72367230X | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 191    | 3,119          | 3,431                         | 1,737           |


### P Peninsula Workcenter Right



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle can be installed on right or left
- Three leg table
- Load capacity is 150 lbs.
- Two piece thermofoil top, two piece laminate top if left width greater than 48"

| W/L | D/L | W/R | D/R | Model #      | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Laminate Price | Thermofoil <sup>2</sup> Price | Base only Price |
|-----|-----|-----|-----|--------------|---------------------------|--------------------------|--------------------------|--------|----------------|-------------------------------|-----------------|
| 48  | 30  | 72  | 37  | SCF48307236X | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 154    | 2,580          | 2,838                         | 1,691           |
| 60  | 30  | 72  | 37  | SCF60307236X | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 174    | 2,896          | 3,186                         | 1,714           |
| 72  | 30  | 72  | 37  | SCF72307236X | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 191    | 3,119          | 3,431                         | 1,737           |


### 120 Degree - 2 Legs



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle installed on right
- Two leg table
- Load capacity is 150 lbs.

| W/L | W/R | D  | Model #   | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Laminate Price | Thermofoil <sup>2</sup> Price | Base only Price |
|-----|-----|----|-----------|---------------------------|--------------------------|--------------------------|--------|----------------|-------------------------------|-----------------|
| 36  | 36  | 24 | SCT363624 | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 108    | 1,830          | 2,013                         | 1,139           |
| 36  | 36  | 30 | SCT363630 | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 115    | 1,888          | 2,077                         | 1,159           |

### 120 Degree



- Adjusts from 22" - 34" at 6.6 turns/inch
- Crank handle can be installed on right or left
- Three leg table
- Load capacity is 150 lbs.
- Two piece top for width greater than 48"

| W/L | D/L | W/R | D/R | Model #    | Metal Finish <sup>1</sup> | Laminate <sup>1</sup>    | Edge <sup>1</sup>        | Weight | Laminate Price | Thermofoil <sup>2</sup> Price | Base only Price |
|-----|-----|-----|-----|------------|---------------------------|--------------------------|--------------------------|--------|----------------|-------------------------------|-----------------|
| 42  | 42  | 24  |     | SCF424224T | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 109    | 2,391          | 2,630                         | 1,626           |
| 48  | 48  | 24  |     | SCF484824T | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 122    | 2,547          | 2,802                         | 1,651           |
| 54  | 54  | 24  |     | SCF545424T | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 124    | 2,704          | 2,974                         | 1,701           |
| 66  | 66  | 24  |     | SCF666624T | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 125    | 2,854          | 3,139                         | 1,751           |
| 42  | 42  | 30  |     | SCF424230T | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 113    | 2,441          | 2,685                         | 1,666           |
| 48  | 48  | 30  |     | SCF484830T | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 132    | 2,597          | 2,857                         | 1,691           |
| 54  | 54  | 30  |     | SCF545430T | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 138    | 2,754          | 3,029                         | 1,741           |
| 66  | 66  | 30  |     | SCF666630T | <input type="checkbox"/>  | <input type="checkbox"/> | <input type="checkbox"/> | 143    | 2,904          | 3,194                         | 1,781           |

Consult opposite page for further specifications.